

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|---------------------|
| L1 | 119863 | \$4acryl\$4 same polyurethane same polyether nera polyamin\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:10 |
| L2 | 78 | \$4acryl\$4 same polyurethane same polyether near polyamin\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:10 |
| L3 | 518 | \$4acryl\$4 and polyurethane and polyether near polyamin\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:25 |
| L4 | 146 | polyether near polyamin\$2 same (react\$4 or adduct) same (epox\$4 or acrylate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:26 |
| L5 | 112 | polyether near polyamin\$2 same (react\$4 or adduct) with (epox\$4 or acrylate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:26 |
| L6 | 112 | polyether near polyamin\$2 same (react\$4 or adduct) with (epox\$4 or acrylate or methacrylate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:27 |
| L7 | 17 | polyether near polyamin\$2 with adduct with (epox\$4 or acrylate or methacrylate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:33 |
| L8 | 361 | polyamin\$2 same modif\$6 with adduct with (epox\$4 or acrylate or methacrylate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:35 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| L9 | 148 | l8 and polyurethane | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:37 |
| L10 | 134 | l8 and polyurethane and \$4acryl\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:37 |
| L11 | 1 | polyamin\$2 same modif\$6 with adduct with (epox\$4 or acrylate or methacrylate) and adeka near corporation.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:52 |
| L12 | 1 | polyamin\$2 same modif\$6 and adeka near corporation.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:52 |
| L13 | 3 | polyamin\$2 with (reduc\$6 or low\$4) with reactivity same block\$4 with (polyurethane or poly adj urethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 16:58 |
| L14 | 103 | polyamin\$2 with (oxyethylene or polyether) same block\$4 with (polyurethane or poly adj urethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:00 |
| L15 | 18 | polyamin\$2 near2 (oxyethylene or polyether) same block\$4 with (polyurethane or poly adj urethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:00 |
| L16 | 0 | polyamin\$2 same mannich near reaction and blocked near polyuretahne | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:01 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L17 | 0 | polyamin\$2 same mannich near reaction same blocked near polyurethane | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:01 |
| L18 | 0 | polyamin\$2 same mannich near reaction same blocked near polyurethane | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:01 |
| L19 | 0 | polyamin\$2 same mannich same blocked near polyurethane | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:02 |
| L20 | 2 | polyamin\$2 same mannich and blocked near polyurethane | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:02 |
| L21 | 24 | polyamin\$2 with (oxyethylene or polyether) with polyamide with adduct | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:03 |
| L22 | 157 | polyamin\$2 with (oxyethylene or polyether) with (polyamide or acrylate or methacrylate or epoxide or epoxy) with adduct | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:16 |
| L23 | 159 | polyamin\$2 with (oxyethylene or polyether) with (polyamide or acrylate or methacrylate or epoxide or epoxy) with adduct | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:16 |
| L24 | 24 | polyamin\$2 with (oxyethylene or polyether) near2 adduct with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:17 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L25 | 21 | l24 not l21 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:17 |
| L26 | 739 | active near hydrogen same adduct with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:20 |
| L27 | 15 | l26 same block\$4 with (polyurethane or poly adj urethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:20 |
| L28 | 174 | active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:23 |
| L29 | 3 | active near hydrogen same reactivity near2 (lower\$3 or reduce\$3 or modify) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:24 |
| L30 | 6 | active near hydrogen same reactiv\$3 near2 (lower\$3 or reduce\$3 or modify) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:24 |
| L31 | 174 | active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:25 |
| L32 | 95 | active near hydrogen with reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:26 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| L33 | 105 | active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) and (\$4isocyanate or \$4polyurethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:26 |
| L34 | 48 | active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:27 |
| L35 | 3 | active near hydrogen same reactivity with (reduc \$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:28 |
| L36 | 545 | active near hydrogen same (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:29 |
| L37 | 3 | active near hydrogen same reactivity with (reduc \$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:29 |
| L38 | 778 | active near hydrogen same (\$4isocyanate or \$4polyurethane) and (damon\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:30 |

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| L39 | 778 | active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:30 |
| L40 | 829 | active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:30 |
| L41 | 7 | active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:31 |
| L42 | 22850 | (diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:34 |
| L43 | 7848 | (diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:34 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L44 | 9777 | (diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:35 |
| L45 | 2633 | ((diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane)).ab. and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:36 |
| L46 | 282 | ((diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane)).ti. and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:36 |
| L47 | 3264 | ((diamin\$2 or polyamin\$2) same (\$4isocyanate or \$4polyurethane)) and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:37 |
| L48 | 651 | ((diamin\$2 or polyamin\$2) same (\$4isocyanate or \$4polyurethane)).ab. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:37 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L49 | 559 | ((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))))ab. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:37 |
| L50 | 37 | ((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))))ti. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:38 |
| L51 | 398 | ((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))))clm. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:49 |
| L52 | 109 | I49 and I51 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:51 |
| L53 | 101 | I52 not I50 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/04 17:51 |

2/ 4/ 2008 6:07:06 PM

C:\Documents and Settings\ssastri\My Documents\EAST\Workspaces\10541400b.wsp